

COMMERCIAL **MULTI-JUNGLE**

2023 BROCHURE



COMMERCIAL MULTI-JUNGLE

FEATURES

The HOIST® Fitness Commercial Multi-Jungle System can be configured to meet both the needs of your facility and the fitness requirements of your members. Expand the jungle from the standard four (4) station pod to a six (6) station, nine (9) station or fourteen (14) station with the addition of the Crossover Pull-up Bar (CMJ-OPT-01). The Jungle System keeps users interested by offering the ability to work their entire body and the flexibility to create their own circuit routines.

CONVENIENCE

- ◆ Easy Step-Through design speeds up workout and allows for user to quickly enter/exit the machine
- ◆ Easy Adjustments with one-handed Hi-Lo adjusters
- ◆ Integrated Scuff Guards & Rubber Foot Protectors protects the machine's frame finish and facility floor
- ◆ Permanent Anchor Points secure to your facility floor to maximize user safety

COMFORT & DURABILITY

- ◆ Oversized Handles provide a more comfortable and secure workout
- ◆ Round Tube Frame provides unsurpassed strength and durability
- ◆ Commercial Quality Grips add stability and comfort

SLEEK & APPEALING


- ◆ Large Radius Sweeps (bends) add beauty as well as frame rigidity
- ◆ Silent Steel® Weight Stacks designed to reduce noise during exercise

4 STATION SINGLE POD

CMJ-6000-1



RUBBER FOOT PROTECTORS



EZ GLIDE COLUMNS



SPECS

PRODUCT DIMENSIONS (L X W X H)

76" X 143" X 93" (194 cm X 362 cm X 236 cm)

PRODUCT WEIGHT

1,571 lbs (713 kg)

FEATURES

- ◆ CMJ-CAGE Base Cage
- ◆ CMJ-6101 Triceps Extension*
- ◆ CMJ-6175 EZG Hi-Lo Pulley**
- ◆ CMJ-6201 Lat Pulldown***
- ◆ CMJ-6203 Low Row***
- ◆ Standard CMJ Accessories (see page 10)

* 170 LB. WEIGHT STACK

** 195 LB. WEIGHT STACK

*** 295 LB. WEIGHT STACK

4 STATION SINGLE POD DUAL PULLEY

CMJ-6000-1D



RUBBER FOOT PROTECTORS



EZ GLIDE COLUMNS



SPECS

PRODUCT DIMENSIONS (L X W X H)

76" X 143" X 93" (194 cm X 362 cm X 236 cm)

PRODUCT WEIGHT

1,571 lbs (713 kg)

FEATURES

- ◆ CMJ-CAGE Base Cage
- ◆ CMJ-6101 Triceps Extension*
- ◆ CMJ-6175 EZG Hi-Lo Pulley**
- ◆ CMJ-6201D Lat Pulldown***
- ◆ CMJ-6203D Low Row***
- ◆ Standard CMJ Accessories (see page 10)

* 170 LB. WEIGHT STACK

** 195 LB. WEIGHT STACK

*** 295 LB. WEIGHT STACK

6 STATION SINGLE POD & STAND ALONE HI-LO

CMJ-6600-S



**WIDE, NARROW & ROCK
CLIMBING GRIPS**



SPECS

PRODUCT DIMENSIONS (L X W X H)

195" X 145" X 93" (495 cm X 362 cm X 236 cm)

PRODUCT WEIGHT

2,017 lbs (915 kg)

FEATURES

- ◆ CMJ-CAGE Base Cage
- ◆ CMJ-6101 Triceps Extension*
- ◆ CMJ-6175 EZG Hi-Lo Pulley**
- ◆ CMJ-6201 Lat Pulldown***
- ◆ CMJ-6203 Low Row***
- ◆ CMS-6175 EZG Hi-Lo Pulley**
- ◆ CMJ-OPT-01 Cross Over Pull Up Station
- ◆ Standard CMJ Accessories (see page 10)

* 170 LB. WEIGHT STACK

** 195 LB. WEIGHT STACK

*** 295 LB. WEIGHT STACK

9 STATION DUAL POD

CMJ-6000-2



**WIDE, NARROW & ROCK
CLIMBING GRIPS**



SPECS

PRODUCT DIMENSIONS (L X W X H)

236" X 143" X 93" (598 cm X 362 cm X 236 cm)

PRODUCT WEIGHT

3,195 lbs (713 kg)

FEATURES

- ◆ 2 CMJ-CAGE Base Cages
- ◆ 2 CMJ-6101 Triceps Extensions*
- ◆ 2 CMJ-6175 EZG Hi-Lo Pulley**
- ◆ 2 CMJ-6201 Lat Pulldowns***
- ◆ 2 CMJ-6203 Low Rows***
- ◆ CMJ-OPT-01 Cross Over Pull Up Station
- ◆ Standard CMJ Accessories (see page 10)


* 170 LB. WEIGHT STACK

** 195 LB. WEIGHT STACK

*** 295 LB. WEIGHT STACK

14 STATION TRI POD

CMJ-6000-3



**WIDE, NARROW & ROCK
CLIMBING GRIPS**



SPECS

PRODUCT DIMENSIONS (L X W X H)

387" X 143" X 93" (982 cm X 362 cm X 236 cm)

PRODUCT WEIGHT

4,819 lbs (2,189 kg)

FEATURES

- ◆ 3 CMJ-CAGE Base Cages
- ◆ 2 CMJ-6101 Triceps Extensions*
- ◆ 4 CMJ-6175 EZG Hi-Lo Pulley**
- ◆ 3 CMJ-6201 Lat Pulldowns***
- ◆ 3 CMJ-6203 Low Rows***
- ◆ 2 CMJ-OPT-01 Pull Up Stations
- ◆ Standard CMJ Accessories (see page 10)

* 170 LB. WEIGHT STACK

** 195 LB. WEIGHT STACK

*** 295 LB. WEIGHT STACK

HI-LO PULLEY

CMS-6175 EZG



SPECS

PRODUCT DIMENSIONS (L X W X H)

40" X 35" X 91" (100 cm X 90 cm X 231 cm)

PRODUCT WEIGHT

393 lbs (178 kg)

FEATURES

- ◆ Padded exercise handles
- ◆ Comes standard with ankle strap and strap handle

CABLE CROSSOVER

CMD-6180



**WIDE, NARROW & ROCK
CLIMBING GRIPS**



SPECS

PRODUCT DIMENSIONS (L X W X H)

153.25" X 39.5" X 92.5" (398 cm X 100 cm X 235 cm)

PRODUCT WEIGHT

839 lbs (381 kg)

FEATURES

- ◆ 2 CMJ-6175 EZG Hi-Lo Pulley*
- ◆ CMJ-OPT-01 Cross Over Pull Up Station

* 195 LB. WEIGHT STACK

ACCESSORIES

STANDARD

LOW ROW DOUBLE D HANDLE

026-01X3659

TRICEPS EXTENSION ROPE

026-01X3658

DUAL PULLEY STRAP HANDLES

026-01X1633

LAT PULLDOWN BAR

026-01X1119

HI-LO CURL & TRICEPS BAR

026-01X1118

HI-LO D HANDLE

026-01X3657

HI-LO ANKLE STRAP

022-0008033



OPTIONAL

TRICEPS EXTENSION BAR

026-01X3696

REVOLVING EZ BAR

026-01X3831

PULLDOWN AND ROW BAR

026-01X3704




STANDARD COLORS

*ROC-IT (RS, RPL)
COMMERCIAL FREEWEIGHTS (CF)
COMMERCIAL MULTI JUNGLE (CMJ)
CLUB LINE (CL)*

FRAME



UPHOLSTERY



OLY-115



OLY-185




OLY-120



US 516



OLY-190



NAVY
SR-302



OLY-125



OLY-155



46848300



36349900



OLY-130



OLY-105

CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES


HOIST DUAL SERIES (HD)

MOTION CAGE (MC, MCS)

FRAME



UPHOLSTERY




OLY-115

FRAME



SUB FRAME



CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST LIGHT COMMERCIAL/ HOME FREEWEIGHTS (HF) H4400 & H2200

FRAME



UPHOLSTERY



OLY-115

NO CUSTOM COLORS AVAILABLE



COMMERCIAL MULTI-JUNGLE

FULL SPECS

PRODUCT NAME		LENGTH	WIDTH	HEIGHT	WEIGHT
CMJ-6000-1	4-STATION SINGLE POD	76.25" (194 CM)	142.50" (362 CM)	93.00" (236 CM)	1,571 LBS (713 KG)
CMJ-6000-1D	4-STATION SINGLE POD DUAL PULLEY	76.25" (194 CM)	142.50" (362 CM)	93.00" (236 CM)	1,571 LBS (713 KG)
CMJ-6600-S	6-STATION SINGLE POD & STAND ALONE HI-LO	194.50" (495 CM)	142.50" (362 CM)	93.00" (236 CM)	2,017 LBS (915 KG)
CMJ-6000-2	9-STATION DUAL POD	235.50" (598 CM)	142.50" (362 CM)	93.00" (236 CM)	3,195 LBS (1,449 KG)
CMJ-6000-3	14-STATION TRI POD	386.75" (982 CM)	142.50" (362 CM)	93.00" (236 CM)	4,819 LBS (2,189 KG)
CMS-6175 EZG	HI-LO PULLEY	39.50" (100 CM)	35.25" (90 CM)	91.00" (231 CM)	393 LBS (178 KG)
CMD-6180	CABLE CROSSOVER	153.25" (398 CM)	39.50" (100 CM)	92.50" (235 CM)	839 LBS (381 KG)



WARRANTY POLICY

HOIST® Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST® Fitness warrants this product to the original purchaser only. HOIST® Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT [HOISTFITNESS.COM](https://www.HOISTFitness.com) AND CLICK ON THE “SUPPORT” LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST® Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST® Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.†

- | | | |
|------------------------------|--|------------------------------|
| ◆ HOIST® | ◆ QUIK-CHANGE® | ◆ ROCS® |
| ◆ ACT NOW® | ◆ RADIAL LOC® | ◆ ROX® |
| ◆ CABLE-DRIVEN™ | ◆ RIDE ORIENTED CIRCUIT-INTERVAL TRAINING™ | ◆ ROC-IT® |
| ◆ CLUB QUALITY GUARANTEED® | ◆ RIDE ORIENTED CONDITIONING® | ◆ ROC-ABS® |
| ◆ COMPOSITE MOTION™ | ◆ RIDE ORIENTED CONDITIONING SYSTEM® | ◆ SILENT STEEL® |
| ◆ DUAL ACTION SMITH® | ◆ RIDE ORIENTED CONDITIONING-INTENSITY TRAINING™ | ◆ SPLIT WEIGHT CABLING™ |
| ◆ EASY GLIDE™ | ◆ RIDE ORIENTED XERCISE® | ◆ ULTRA-LITE LIFTING SYSTEM™ |
| ◆ EZ-LOC LATCHING MECHANISM™ | ◆ ROC® | ◆ DUAL SERIES™ |
| ◆ FEEL THE RIDE® | | ◆ FLIP-N-DIP® |
| ◆ GLUTEMASTER® | | ◆ FLIP-N-GRIP® |
| ◆ HOIST CLASSIC® | | |

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439,822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D797,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,331,911, 7,335,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7,549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 7,670,269, 7,713,179, 7,717,832, 7,731,638, 7,749,371, 7,749,372, 7,766,802, 7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,335, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,981,010, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310, 10,737,131, 10,709,922, 10,646,739, 10,639,513, 10,532,244, 10,486,012, 10,426,990, 10,420,985, D857,812, 10,391,352, 10,350,445, D852,291, 10,307,630, 10,220,240, WW, D836,733, 10,086,229

† Other Patents Pending